

BINGWA 530 SC

S-metolachlor 280g/L +
Atrazine 250g/L

Mkulima Bingwa!



Palilia mahindi na
BINGWA 530SC



**JOJEMI
EAST AFRICA LIMITED**

P. O. Box 953 00600 Nairobi,
+254 795 364079 | +254 719 283 963
jojemieafrica@gmail.com
www.jojemieafrica.co.ke

DESCRIPTION:

BINGWA 530 SC is an early post emergence control of annual grasses and broad leaved weeds in maize.

Mode of action: S-metolachlor acts as a shoot-Growth inhibitor mainly taken through the shoots of germinating plants and seedlings. Atrazine is a photosynthesis inhibitor taken up by the roots and leaves. Weeds are therefore killed before emergence or shortly after emergence.

DIRECTIONS FOR USE


Crop	Target	Application Rate, spray volume /20L	Timing & frequency of application
Maize	Annual broadleaved weeds and grasses	2.5-3.0 L /Ha in 200L of water (250-300 ml per 20L of water)	Early post-emergence once per season

Pre-harvest interval (PHI): 45 days

Re-entry interval (REI): 24 Hours

AVAILABLE PACKS

500ml, 1lt and 5lt



**JOJEMI
EAST AFRICA LIMITED**

P. O. Box 953 00600 Nairobi,
+254 795 364079 | +254 719 283 963
jojemieafrica@gmail.com
www.jojemieafrica.co.ke